

Dreamt Vape Pen

METRC Sample: 1A406030000F2FB000017369; METRC Batch: 1A406030000F2FB000017368

Sample ID: 2202CGL0525.1177	Produced: 02/16/2022	Distributor	Producer
Strain: Dreamt Vape Pen	Collected: 02/16/2022	GK Management Services LLC	GK Management Services LLC
Matrix: Concentrates & Extracts	Received: 02/16/2022	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Other	Completed: 02/21/2022	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 30 units; Batch: 3,400 units	Batch#: CL-B1422001	Long Beach, CA 90806	



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/17/2022	Complete
Terpenes	02/21/2022	Complete
Residual Solvents	02/18/2022	Pass
Microbials	02/18/2022	Pass
Mycotoxins	02/18/2022	Pass
Pesticides	02/18/2022	Pass
Heavy Metals	02/17/2022	Pass
Foreign Matter	02/17/2022	Pass

Cannabinoids

Complete

254.355 mg/container 50.871% Total THC	108.613 mg/container 21.723% Total CBD	385.853 mg/container 77.171% Total Cannabinoids
---	---	--

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.48	0.97	ND	ND	ND	ND
Δ9-THC	0.73	0.97	50.871	508.71	254.355	254.355
Δ8-THC	0.73	0.97	ND	ND	ND	ND
THCV	0.73	0.97	ND	ND	ND	ND
CBDa	0.48	0.97	ND	ND	ND	ND
CBD	0.73	0.97	21.723	217.23	108.613	108.613
CBDV	0.73	0.97	ND	ND	ND	ND
CBN	0.48	0.97	0.400	4.00	1.998	1.998
CBGa	0.48	0.97	ND	ND	ND	ND
CBG	0.73	0.97	2.375	23.75	11.877	11.877
CBC	0.48	0.97	1.802	18.02	9.010	9.010
Total THC			50.871	508.710	254.355	254.355
Total CBD			21.723	217.226	108.613	108.613
Total			77.171	771.705	385.853	385.853

Date Tested: 02/17/2022

1 Unit = 1 Vape Pen, 0.5g, 1 unit(s) per serving, 1 serving(s) per container.

Potency by UHPLC: CGL-P-720-009-B

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director
02/21/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com








This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

Dreamt Vape Pen

METRC Sample: 1A406030000F2FB000017369; METRC Batch: 1A406030000F2FB000017368


Sample ID: 2202CGL0525.1177	Produced: 02/16/2022	Distributor	Producer
Strain: Dreamt Vape Pen	Collected: 02/16/2022	GK Management Services LLC	GK Management Services LLC
Matrix: Concentrates & Extracts	Received: 02/16/2022	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Other	Completed: 02/21/2022	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 30 units; Batch: 3,400 units	Batch#: CL-B1422001	Long Beach, CA 90806	

Terpenes

Terpenes	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	mg/g	%	
δ-Limonene	0.02	0.06	12.46	1.246	
Linalool	0.03	0.06	10.17	1.017	
β-Myrcene	0.02	0.06	5.29	0.529	
3-Carene	0.02	0.06	0.44	0.044	
α-Pinene	0.02	0.06	0.10	0.010	
α-Bisabolol	0.03	0.06	ND	ND	
α-Humulene	0.03	0.06	ND	ND	
α-Terpinene	0.02	0.06	ND	ND	
β-Caryophyllene	0.03	0.06	ND	ND	
β-Pinene	0.02	0.06	ND	ND	
Camphene	0.02	0.06	ND	ND	
Caryophyllene Oxide	0.06	0.13	ND	ND	
cis-Nerolidol	0.03	0.13	ND	ND	
cis-Ocimene	0.03	0.06	ND	ND	
Eucalyptol	0.02	0.06	ND	ND	
γ-Terpinene	0.02	0.06	ND	ND	
Geraniol	0.03	0.13	ND	ND	
Guaiol	0.05	0.06	ND	ND	
Isopulegol	0.03	0.06	ND	ND	
p-Cymene	0.02	0.06	ND	ND	
Terpinolene	0.02	0.06	ND	ND	
trans-Nerolidol	0.03	0.06	ND	ND	
trans-Ocimene	0.03	0.06	ND	ND	
Total			28.46	2.846	

TESTED & TRUSTED

Primary Aromas



Date Tested: 02/21/2022

Terpenes by HSGC-MS: CGL-P-720-011-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director
02/21/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Caligreen Laboratory
13340 Saticoy Street Unit H
North Hollywood, CA 91605

(818) 979-9474
www.caligreenlaboratory.com
Lic# C8-0000104-LIC

Dreamt Vape Pen

METRC Sample: 1A406030000F2FB000017369; METRC Batch: 1A406030000F2FB000017368

Sample ID: 2202CGL0525.1177	Produced: 02/16/2022	Distributor	Producer
Strain: Dreamt Vape Pen	Collected: 02/16/2022	GK Management Services LLC	GK Management Services LLC
Matrix: Concentrates & Extracts	Received: 02/16/2022	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Other	Completed: 02/21/2022	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 30 units; Batch: 3,400 units	Batch#: CL-B1422001	Long Beach, CA 90806	

Pesticides

Pass

Pesticides	LOD	LOQ	Limit	Mass	Status	Pesticides	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	ND	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Pacllobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Fonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

Date Tested: 02/18/2022

Pesticides by LC-MSMS: CGL-P-720-007-B; Pesticides by GC-MSMS: CGL-P-720-008-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui

Samantha Lui - Laboratory Director
02/21/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.



Dreamt Vape Pen

METRC Sample: 1A406030000F2FB000017369; METRC Batch: 1A406030000F2FB000017368

Sample ID: 2202CGL0525.1177	Produced: 02/16/2022	Distributor	Producer
Strain: Dreamt Vape Pen	Collected: 02/16/2022	GK Management Services LLC	GK Management Services LLC
Matrix: Concentrates & Extracts	Received: 02/16/2022	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Other	Completed: 02/21/2022	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 30 units; Batch: 3,400 units	Batch#: CL-B1422001	Long Beach, CA 90806	

Microbials

Pass

Microbials	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 02/18/2022
 Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins

Pass

Mycotoxins	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested
B2	1.25	5		ND	Tested
G1	1.25	5		ND	Tested
G2	2.5	5		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	6.6	16.6	20	ND	Pass

Date Tested: 02/18/2022
 Mycotoxins by LC-MSMS: CGL-P-720-007-B
 LOQ = Limit of Quantitation

Heavy Metals

Pass

Metals	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass
Cadmium	0.000111	0.05	0.2	<LOQ	Pass
Lead	0.000119	0.05	0.5	<LOQ	Pass
Mercury	0.000097	0.05	0.1	<LOQ	Pass

Date Tested: 02/17/2022
 Heavy Metals by ICP-MS: CGL-P-720-012-B
 LOQ = Limit of Quantitation



Samantha Lui

Samantha Lui - Laboratory Director
 02/21/2022

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

Dreamt Vape Pen

METRC Sample: 1A406030000F2FB000017369; METRC Batch: 1A406030000F2FB000017368

Sample ID: 2202CGL0525.1177	Produced: 02/16/2022	Distributor	Producer
Strain: Dreamt Vape Pen	Collected: 02/16/2022	GK Management Services LLC	GK Management Services LLC
Matrix: Concentrates & Extracts	Received: 02/16/2022	Lic. # C11-0001138-LIC	Lic. # CDPH-10004154
Type: Other	Completed: 02/21/2022	621 W Willow St	621 W Willow St Long Beach, CA 90806
Sample Size: 30 units; Batch: 3,400 units	Batch#: CL-B1422001	Long Beach, CA 90806	

Residual Solvents

Pass

Solvents	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2 Dichloroethane	0.2344	0.4688	1	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass
Acetonitrile	23.438	187.5	410	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass
Ethanol	23.438	187.5	5000	ND	Pass
Ethyl Acetate	23.438	187.5	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass
Isopropanol	23.438	187.5	5000	ND	Pass
m+p Xylene	23.438	187.5		ND	Tested
Methanol	93.75	187.5	3000	ND	Pass
Methylene Chloride	0.2344	0.4688	1	ND	Pass
n-Hexane	23.438	187.5	290	ND	Pass
o-Xylene	23.438	187.5		ND	Tested
Pentane	23.438	187.5	5000	ND	Pass
Propane	23.438	93.75	5000	ND	Pass
Toluene	23.438	187.5	890	ND	Pass
Trichloroethene	0.2344	0.4688	1	ND	Pass
Xylenes	23.438	187.5	2170	ND	Pass

CALIGREEN
LABORATORY

TESTED & TRUSTED

Date Tested: 02/18/2022

Solvents by HSGC-MS Method: SOP CGL-P-720-010-B

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.




Samantha Lui - Laboratory Director
02/21/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.