

Dreamt Vape Pen

METRC Batch: 1A4060300015BAB000000039; METRC Sample: 1A406030000F2FB000016777

Sample ID: 2201ENC0087_0272
Strain: Dreamt Vape Pen

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CL-L2721001

Collected: 01/05/2022
Received: 01/05/2022
Completed: 01/06/2022
Sample Size: 30 units; Batch: 2,400 units

Distributor
GK Management, LLC
Lic. # C11-0001138-LIC
621 Willow St. W
Long Beach, CA 90806

Producer
Ciencia Labs
Lic. # CDPH-10004154
621 W WILLOW ST LONG BEACH, CA
90806-2832




Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	01/05/2022	LC-DAD	Pass
Residual Solvents	01/05/2022	HS-GC-MS	Pass
Microbials	01/06/2022	qPCR	Pass
Mycotoxins	01/05/2022	LC-MS	Pass
Pesticides	01/05/2022	LC-MS	Pass
Heavy Metals	01/06/2022	ICP-MS	Pass
Foreign Matter	01/05/2022	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

Pass



Analyte	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.252	0.764	ND	ND	ND
Δ9-THC	0.270	0.818	52.248	522.48	261.24
Δ8-THC	0.298	0.904	ND	ND	ND
THCVa	0.291	0.882	ND	ND	ND
THCV	0.301	0.912	0.389	3.89	1.95
CBDa	0.264	0.801	ND	ND	ND
CBD	0.255	0.772	23.361	233.61	116.80
CBN	0.240	0.728	0.453	4.53	2.27
CBGa	0.287	0.870	ND	ND	ND
CBG	0.265	0.802	1.299	12.99	6.50
CBCa	0.234	0.709	ND	ND	ND
CBC	0.275	0.833	0.820	8.20	4.10
Total THC			52.248	522.476	261.238
Total CBD			23.361	233.608	116.804
Total			78.571	785.706	392.853

1 Unit = 0.5g;

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
01/06/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Dreamt Vape Pen

METRC Batch: 1A4060300015BAB00000039; METRC Sample: 1A406030000F2FB000016777

Sample ID: 2201ENC0087_0272
Strain: Dreamt Vape Pen

Collected: 01/05/2022
Received: 01/05/2022
Completed: 01/06/2022

Distributor
GK Management, LLC
Lic. # C11-0001138-LIC
621 Willow St. W
Long Beach, CA 90806

Producer
Ciencia Labs
Lic. # CDPH-10004154
621 W WILLOW ST LONG BEACH, CA
90806-2832

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CL-L2721001

Pesticides

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.1	ND	Pass	Fludioxonil	0.01	0.05	0.1	ND	Pass
Acephate	0.002	0.01	0.1	ND	Pass	Hexythiazox	0.005	0.02	0.1	ND	Pass
Acequinocyl	0.01	0.02	0.1	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.1	ND	Pass	Imidacloprid	0.005	0.02	5	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.1	ND	Pass
Azoxystrobin	0.005	0.02	0.1	ND	Pass	Malathion	0.02	0.05	0.5	ND	Pass
Bifenazate	0.005	0.01	0.1	ND	Pass	Metalaxyl	0.002	0.005	2	ND	Pass
Bifenthrin	0.02	0.05	3	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.1	ND	Pass	Methomyl	0.01	0.02	1	ND	Pass
Captan	0.2	0.3	0.7	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.5	ND	Pass	Myclobutanil	0.005	0.01	0.1	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Naled	0.01	0.02	0.1	ND	Pass
Chlorantraniliprole	0.002	0.01	10	ND	Pass	Oxamyl	0.005	0.01	0.5	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Paclbutrazol	0.05	0.1	0.05	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Clofentezine	0.01	0.02	0.1	ND	Pass	Permethrin	0.02	0.05	0.5	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.1	ND	Pass
Cyfluthrin	0.05	0.1	2	ND	Pass	Piperonyl Butoxide	0.02	0.05	3	ND	Pass
Cypermethrin	0.1	0.2	1	ND	Pass	Prallethrin	0.005	0.02	0.1	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.1	ND	Pass
Diazinon	0.002	0.01	0.1	ND	Pass	Propoxur	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.5	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.1	ND	Pass
Dimethomorph	0.005	0.02	2	ND	Pass	Spinetoram	0.005	0.01	0.1	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.1	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.1	ND	Pass
Etoazole	0.005	0.02	0.1	ND	Pass	Spirotetramat	0.005	0.01	0.1	ND	Pass
Fenhexamid	0.005	0.02	0.1	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.1	ND	Pass
Fenpyroximate	0.005	0.02	0.1	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5	ND	Pass
Fonicamid	0.01	0.02	0.1	ND	Pass	Trifloxystrobin	0.005	0.01	0.1	0.014	Pass

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith

Mary Beth Smith
Compliance Manager
01/06/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Dreamt Vape Pen

METRC Batch: 1A4060300015BAB000000039; METRC Sample: 1A406030000F2FB000016777

Sample ID: 2201ENC0087_0272
Strain: Dreamt Vape Pen

Collected: 01/05/2022
Received: 01/05/2022
Completed: 01/06/2022
Sample Size: 30 units; Batch: 2,400 units

Distributor
GK Management, LLC
Lic. # C11-0001138-LIC
621 Willow St. W
Long Beach, CA 90806

Producer
Ciencia Labs
Lic. # CDPH-10004154
621 W WILLOW ST LONG BEACH, CA
90806-2832

Residual Solvents

Method: SOP EL-RES_SOLVENTS
HS-GC-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.29	1	ND	Pass
Acetone	5.5	16.68	5000	<LOQ	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10	5000	ND	Pass
Chloroform	0.1	0.29	1	ND	Pass
Ethanol	3.33	10	5000	265.90	Pass
Ethyl-Acetate	3.33	10	5000	ND	Pass
Ethyl-Ether	3.33	10	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10	5000	ND	Pass
Isopropanol	3.33	10	5000	58.99	Pass
Methanol	8.85	26.8	3000	ND	Pass
Methylene-Chloride	0.1	0.31	1	ND	Pass
n-Hexane	3.33	10	290	ND	Pass
Pentane	3.33	10	5000	ND	Pass
Propane	3.33	10	5000	ND	Pass
Toluene	3.33	10	890	ND	Pass
Trichloroethene	0.1	0.29	1	ND	Pass
Xylenes	6.66	20	2170	ND	Pass

L A B S

Date Tested: 01/05/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith

Mary Beth Smith
Compliance Manager
01/06/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Dreamt Vape Pen

METRC Batch: 1A4060300015BAB000000039; METRC Sample: 1A406030000F2FB000016777

Sample ID: 2201ENC0087_0272
Strain: Dreamt Vape Pen

Collected: 01/05/2022
Received: 01/05/2022

Distributor
GK Management, LLC

Lic. # C11-0001138-LIC
621 Willow St. W
Long Beach, CA 90806

Producer
Ciencia Labs

Lic. # CDPH-10004154
621 W WILLOW ST LONG BEACH, CA
90806-2832

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CL-L2721001

Mycotoxins

Method: SOP EL-PesticidesLCMS
LC-MS

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Result µg/kg	Status
B1	2	4		ND	Tested
B2	2	4		ND	Tested
G1	2	4		ND	Tested
G2	2	4		ND	Tested
Ochratoxin A	1	2	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Date Tested: 01/05/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Mary Beth Smith

Mary Beth Smith
Compliance Manager
01/06/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Dreamt Vape Pen

METRC Batch: 1A4060300015BAB000000039; METRC Sample: 1A406030000F2FB000016777

Sample ID: 2201ENC0087_0272
Strain: Dreamt Vape Pen

Collected: 01/05/2022
Received: 01/05/2022

Distributor
GK Management, LLC

Lic. # C11-0001138-LIC
621 Willow St. W
Long Beach, CA 90806

Producer
Ciencia Labs

Lic. # CDPH-10004154
621 W WILLOW ST LONG BEACH, CA
90806-2832

Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CL-L2721001

Completed: 01/06/2022
Sample Size: 30 units; Batch: 2,400 units

Microbials

Method: SOP EL-MICROBIALS
qPCR

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 01/06/2022

Heavy Metals

Method: SOP EL-HEAVYMETALS
ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 01/06/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith

Mary Beth Smith
Compliance Manager
01/06/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

